

6511958

Radial Tear

FIG. 1A




FIG. 1B






FIG. 1C

Suture Repair and Resection






FIG. 1D

APPROVED	O.G. FIG. None		
1	$\mathbf{P} \cdot \mathbf{q}$	10.7007	
BY	CLASS	SUBCLASS	
E DY		0000000	
1	514	2	
DRAFTSMAN	7,7	2	



APPROVED	O.G. FIG. None		
BY	CLISS	SUBCLASS	
DRAFTSMAN	514	2	



Collagen Thickness

1-3 mm

FIG. 3B

Zone 1: Outer, vascularized zone- "repairable" Zone 2: Middle, semi- vascularized- "irrepairable" Zone 3: Inner, avascular zone- "irrepairable"

FIG. 3A

APPROVED	OG. FIG. None		
BY	CLASS	SUBCLASS	
DRAFTSMAN	54	2	

Longitudinal Tear in Avascular Area

FIG. 4A

Repair | | | Inducer Suture Meniscus Femur Tibia

APPROVED		
BY	CLASS	SUBCLASS
D1	514	2
DRAFTSMAN		




FIG. 5

i	APPROVED	OG. FIG. None		
	BY	CLASS	SUBCLASS	
İ	DRAFTSMAN	514	2	





FIG. 6



2

APPROVED O G. FIGNOR 514

DRAFTSMAN

